

TSW200



Brand: Teltonika
Product Code: TSW200
Availability: 10
Weight: 0.00kg
Dimensions: 0.00cm x 0.00cm x 0.00cm

Price: 7,500.00EGP

Short Description

Industrial unmanaged switch POE+ 8 x RJ45 ports, 10/100/1000 Mbps

2 x SFP ports

Description

SFP

2 x SFP ports for long-range Fiber-optic communication

PoE+

8 x PoE+ ports with 802.af, 802.3at standard support

POWER BUDGET

Total power budget at PSE up to 240 W

ETHERNET

8 x Gigabit Ethernet with speeds up to 1000 Mbps

TSW200 is an industrial Ethernet switch with 2 SFP ports for long-range Fiber-optic communication and 8 Gigabit Ethernet ports that support IEEE802.af and IEE802.3at Power-over-Ethernet standards. Classified as power source equipment (PSE), it enables the centralization of the power supply, providing up to 30 watts per port and reducing the effort to install power.

Specification

Network Switches	
Management Type	

Industrial switch	
Profinet	Profinet Class A conformance (available with optional order code)
ETH	8 x ETH ports, 10/100/1000 Mbps, supports auto MDI/MDIX crossover
Fibre	2 x SFP ports
IEEE 802.3 series standards	802.3i, 802.3u, 802.3ab, 802.3x, 802.3az
PoE+ ports	Port 1 - 8
PoE standards	IEEE 802.3af (PoE, Type 1) and IEEE 802.3at (PoE+, Type 2), Alternative A (From batch 42) IEEE 802.3af (PoE, Type 1) and IEEE 802.3at (PoE+, Type 2), Alternative B (From batch 1-41)
PoE Max Power per Port (at PSE)	30 W
Total PoE Power Budget (at PSE)	240 W
Operating temperature	-40 °C to 75 °C
Operating humidity	5% to 95% non-condensing
Ingress Protection Rating	IP30
Bandwidth (Non-blocking)	20 Gbps
Jumbo frame support	9216 bytes
MAC address table size	2K entries

Product Gallery



