

# RackStation RS822RP+



**Brand:** Synology  
**Product Code:** RS822RP+  
**Availability:** 10  
**Weight:** 8.00kg  
**Dimensions:** 518.60mm x 480.00mm x 44.00mm  
**Call for Price:**

## Short Description

Synology 4-Bay RackStation RS822RP+ (Diskless)

## Description

### An all-in-one edge storage solution

The compact 1U 4-bay Synology RackStation RS822RP+ with its storage and connectivity expandability coupled with the powerful Synology DiskStation Manager (DSM) operating system is an ideal edge storage solution for branch offices and small and medium-sized businesses.

[Download Datasheet](#)




## Performance

2103/1074 MB/s sequential read/write throughput



## **Scalability**

Scale up to 8 drives with Synology Expansion Unit RX418



## **Connectivity**

Built-in 4 x 1GbE ports with 10/25 GbE expansion option



## **Memory**

Up to 32 GB DDR4 ECC

## **Built for reliability**

RS822RP+ comes with four Gigabit RJ-45 ports which can be bonded with Link Aggregation to enable automatic network failover and load balancing.

Two RS822RP+ units can be paired using Synology High Availability to form a reliable active/passive server cluster, maximizing service uptime.

Furthermore, the RS822RP+ features a redundant power supply for an extra edge in service continuity.

## **Room for expansion**

Easily adjust the RS822RP+ to match your usage environment, whether it needs performance, faster networking, or higher storage capacity.

## **All-in-one data management platform**

The RS822RP+ is designed to support small deployments in tackling common applications such as file management, data backup, and surveillance.



### **Edge storage for distributed teams**



### **Multi-endpoint data protection**



## **Smart surveillance for small deployments**



## **Edge storage for distributed teams**

Provide secure and convenient cross-platform file access, sharing, and synchronization across multiple locations.

## **Enable effective collaboration with Synology Drive**

Synology Drive provides remote data access, synchronization, on-demand file restoration, and backup via handy desktop and mobile applications. [Learn more](#)

## **Multi-platform support**

Access personal and shared data from mobile app, desktop client, web browser, or another Synology system: Any changes you make are automatically synced to other devices as soon as they are connected.

## **Collaborate in real time**

Integrate with Synology Office to enable concurrent editing on documents, spreadsheets, and slides, with support for conversion to and from Microsoft Word, Excel, PowerPoint, and OpenDocument files. [Learn more](#)

## **Connect teams with Hybrid Share**

Utilize Hybrid Share to store large sets of data in the cloud, leveraging the powerful bandwidth of our data centers to stream requested files to local NAS deployed at the branch offices.

## **Data on-demand**

With Hybrid Share-enabled folders, remote teams retain full access to the most up-to-date files while benefiting from reduced local storage footprint and bandwidth usage.

## **Cache data used locally**

Frequently-accessed files are kept on the local NAS, allowing users to access them at LAN speeds. Files and folders can also be pinned manually to prevent them from being replaced when the cache is full.

## **Multi-endpoint data protection**

Design an effective backup strategy to maximize system availability with a host of native and license-free solutions.

## **Endpoint, VM, and NAS/SAN protection**

Securely back up Windows and Linux endpoints, Synology servers, and VMware® and Hyper-V® virtual machines with Active Backup for Business. [Learn more](#)

## **Microsoft 365 and Google Workspace**

Centralize backups of Microsoft 365 and Google Workspace data to protect it from accidents and simplify compliance with data retention policies. Schedulable backups, flexible file versioning, and block-level deduplication ensure flexibility and savings in terms of storage and bandwidth consumption. [Learn more](#)

## **Hyper Backup**

Back up files, LUNs, installed applications, and system configurations to destinations including Synology C2 Storage, public cloud platforms, USB devices, file servers, local folders, or other Synology systems.

Set and forget backup tasks with regular schedules, enhance security with granular user permissions and encryption, keep backup sizes small with built-in deduplication, and



restore data flexibly with multi-versioning. [Learn more](#)

## **Snapshot Replication**

Snapshot Replication enables configurable point-in-time snapshots of shared folders and VM storage with an RPO as low as 5 minutes and recovery within seconds. [Learn more](#)

## **Smart surveillance for small deployments**

Leverage flexible deployment options, intuitive management capabilities, and advanced video analytics to secure your premises.

## Wide compatibility

Connect up to 40 IP cameras from a selection of over 8,300 validated models thanks to [Synology Surveillance Station](#)'s wide camera compatibility.

## Multi-platform convenience

Monitor live streams or watch recordings from web browser, desktop client, or the DS cam mobile app.

## Secure and private

Footage is stored locally for easier compliance with data protection regulations and further protected from unauthorized access with industry-standard AES-256 encryption.

### Software

Software Specs

DSM Specifications

[Storage Management](#)

Maximum Single Volume  
Size

Maximum Internal Volume

RS822RP+

108 TB

64

Number

SSD Read/Write Cache

[\(Determining cache size\)](#)

SSD TRIM

Supported RAID Type

- Synology Hybrid RAID
- Basic
- JBOD
- RAID 0
- RAID 1
- RAID 5
- RAID 6
- RAID 10

RAID Migration

- Basic to RAID 1
- Basic to RAID 5
- RAID 1 to RAID 5
- RAID 5 to RAID 6

Volume Expansion with Larger HDDs

- Synology Hybrid RAID
- RAID 1
- RAID 5
- RAID 6
- RAID 10

Volume Expansion by Adding a HDD

- Synology Hybrid RAID
- JBOD
- RAID 5
- RAID 6 (with Expansion Unit)

Global Hot Spare Supported RAID Type

- Synology Hybrid RAID
- RAID 1
- RAID 5
- RAID 6 (with Expansion Unit)
- RAID 10 (with Expansion Unit)

[File System](#)

Internal Drives

- Btrfs
- ext4

External Drives

- Btrfs
- ext4
- ext3

		<ul style="list-style-type: none"> <li>• FAT</li> <li>• NTFS</li> <li>• HFS+</li> <li>• exFAT</li> <li>• SMB</li> <li>• AFP</li> <li>• NFS</li> <li>• FTP</li> <li>• WebDAV</li> <li>• Rsync</li> </ul>
<a href="#">File Services</a>	File Protocol	
	Maximum Concurrent SMB/AFP/FTP Connections	500
	Maximum Concurrent SMB/AFP/FTP Connections (with RAM expansion)	2,000
	Windows Access Control List (ACL) Integration	
	NFS Kerberos Authentication	
<a href="#">Account &amp; Shared Folder</a>	Maximum Local User Accounts	2,048
	Maximum Local Groups	256
	Maximum Shared Folder	512
	Maximum Shared Folder Sync Tasks	16
<a href="#">Hybrid Share</a>	Hybrid Share Folder Number	10
<a href="#">Hyper Backup</a>	Folder and Package Backup	
	Entire System Backup	
<a href="#">High Availability</a>	Synology High Availability	
<a href="#">Log Center</a>	Syslog Events per Second	800
Virtualization	VMware ESXi 6.5 and VAAI	
	Windows Server 2016	
	Windows Server 2022	
	Citrix Ready	
	OpenStack	
<a href="#">General Specifications</a>	Supported Protocols	SMB1 (CIFS), SMB2, SMB3, NFSv3, NFSv4, NFSv4.1, NFS Kerberized sessions, iSCSI, HTTP, HTTPs, FTP, SNMP, LDAP, CalDAV
	Supported Browsers	<ul style="list-style-type: none"> <li>• Chrome</li> </ul>

- Firefox
- Edge
- Safari

Supported Language English, Deutsch, Français, Italiano, Español, Dansk, Norsk, Svenska, Nederlands, ???????, Polski, Magyar, Português do Brasil, Português Europeu, Türkçe, ?eský, ???????, ???, ???, ????, ????

[Central Management System](#)

[Synology Chat](#)

Download Station Suggested Users 150

Maximum Concurrent Download Tasks 80

[SAN Manager](#)

Maximum iSCSI Target Number 128

Maximum LUN LUN Clone/Snapshot, Windows ODX 256

[Synology MailPlus /](#)

[MailPlus Server](#)

Free Email Accounts 5 [\(Additional accounts require purchase of licenses\)](#)

Suggested Users 750

Maximum Server Performance 1,484,000 emails per day, approx. 45GB

[Media Server](#)

DLNA Compliance

[Synology Photos](#)

Facial Recognition  
Object Recognition

[Snapshot Replication](#)

Maximum Snapshots per Shared Folder 1,024

Maximum of System Snapshots 65,536

[Surveillance Station](#)

Default Licenses 2 [\(Additional cameras require purchase of licenses\)](#)

Suggested Maximum IP Cameras and Total FPS (H.264)	<ul style="list-style-type: none"> <li>• 720p: 40 channels, 1200 FPS</li> <li>• 1080p: 40 channels, 800 FPS</li> <li>• 3M: 35 channels, 350 FPS</li> <li>• 5M: 28 channels, 280 FPS</li> <li>• 4K: 17 channels, 170 FPS</li> </ul>
Suggested Maximum IP Cameras and Total FPS (H.265)	<ul style="list-style-type: none"> <li>• 720p: 40 channels, 1200 FPS</li> <li>• 1080p: 40 channels, 1200 FPS</li> <li>• 3M: 40 channels, 600 FPS</li> <li>• 5M: 40 channels, 480 FPS</li> <li>• 4K: 20 channels, 200 FPS</li> </ul>

### [Synology Drive](#)

Recommended Number of Concurrent Sync Clients	550 (the number of connections that can be maintained when the recommended number of hosted files was reached)
Recommended Number of Hosted Files	50,000,000 (applies to files indexed or hosted by <a href="#">Synology Drive</a> . For file access through other standard protocols, refer to the File Services section above)

### [Synology Office](#)

Suggested Users	4,500
-----------------	-------

### [Virtual Machine Manager](#)

Recommended Virtual Machine Instances	8 ( <a href="#">Learn more</a> )
Recommended Virtual DSM Number ( <a href="#">Licenses required</a> )	8 (including 1 Free License)

### [VPN Server](#)

Maximum Connections	40
---------------------	----

## Specification

NAS	
Compatible Drive Type	3.5
CPU Architecture	64-bit
CPU Core	4
CPU Frequency	2.2 GHz
CPU Model	AMD Ryzen V1500B
CPU Quantity	1
Drive Bays	4
Expansion Port	1
Form Factor (RU)	1U
Hardware Encryption Engine	Yes
Hot Swappable Drive	Yes
Maximum Memory Capacity	32 GB (16 GB x 2)
Memory	2 GB DDR4 ECC SODIMM
PCIe Expansion	1 x Gen3 x8 slot (x4 link)
Power Supply Unit / Adapter	150 watts 100 V to 240 V AC 50/60 Hz, Single Phase
Redundant Power Supply	Yes
RJ-45 1GbE LAN Port	4
System Fan	40 mm x 40 mm x 2 pcs
Total Memory Slots	2
USB 3.2 Gen 1 Port	2

## Product Gallery



